


PORTABLE SILENCED LINE

DIESEL

**WATER COOLED ENGINE
3000 r.p.m.**



SINGLE phase



THREE phase



THREE phase

	MGTP 6 D AE	MGTP 7 D AE 3F	MGTP 11 D AE 3F
Code	PP126-6MS0	PP127-7TS0	PP128-11TS0
On board control panel equipped with:			
	<ul style="list-style-type: none"> - DSE ON/OFF switch - DSE 3110 module will display warnings, shutdowns & engine status information as high temperature, low oil pressure, low fuel level warning, Volts & Frequency, running hrs, battery voltage monitoring - Circuit breaker - Emergency stop - 2x32a 1ph 230v EEC socket - 1x16a 1ph 230v EEC socket 	<ul style="list-style-type: none"> - DSE ON/OFF switch - DSE 3110 module will display warnings, shutdowns & engine status information as high temperature, low oil pressure, low fuel level warning, Volts & Frequency, running hrs, battery voltage monitoring - Circuit breaker - Emergency stop - 1x16A 3Ph 400V EEC socket - 1x32A 1Ph 230V EEC socket - 1x16A 1Ph 230V EEC socket 	<ul style="list-style-type: none"> - DSE ON/OFF switch - DSE 3110 module will display warnings, shutdowns & engine status information as high temperature, low oil pressure, low fuel level warning, Volts & Frequency, running hrs, battery voltage monitoring - Circuit breaker - Emergency stop - 1x16A 3Ph 400V EEC socket - 1x32A 1Ph 230V EEC socket - 1x16A 1Ph 230V EEC socket
Standard features:			
	<ul style="list-style-type: none"> - Sounproof canopy - Exhaust gas silencer 	<ul style="list-style-type: none"> - Sounproof canopy - Exhaust gas silencer 	<ul style="list-style-type: none"> - Sounproof canopy - Exhaust gas silencer
Generator			
Type	SOGA EK2MCT	SOGA ET2MCS	Linz E1 S11M AS
Power	6 kVA 230V	7kVA 400V	11 kVA 400V
Frequency	50 Hz	50 Hz	50 Hz
Engine			
Engine type	KUBOTA Z482	KUBOTA Z482	KUBOTA D722
N° cylinders	2	2	3
Power	12 HP	12 HP	17 HP
Engine speed	3000 r.p.m.	3000 r.p.m.	3000 r.p.m.
Cooling	Water	Water	Water
Fuel	Diesel	Diesel	Diesel
Starting system	Electric	Electric	Electric
Dimensions & weight			
Fuel tank capacity	37 lt	37 lt	37 lt
Running Time	12,7 h	12,7h	9h
Dry weight	300 Kg	340 Kg	350 Kg
Dimensions (L. x W. x H.)	1220 x 670 x 840 mm	1220 x 670 x 840 mm	1220 x 670 x 840 mm

OPTIONS

Trolley

The company reserves the right to modify the technical specifications, items and design without notice.
The images of the products are indicative for illustrative purposes only.

