PORTABLE BATTERY LINE

power and innovation



esigned and created or your needs

Designed to provide an exceptional level of performance for every work on site ensuring the right balance between power and ease of use

MGTP 8000/8 BP



more sustainable and environmentally friendly future















APPLICATIONS









FEATURES

- Communication display for battery performances
- Main circuit breaker & Earth leakage relay
- BMS to protect the batteries
- Emergency Stop button
- N.2 handles & N.4 wheels
- N.2 USB outlet



PORTABLE **BATTERY LINE**

power and innovation

| Code | BP373-5MS1 |
|----------------------------------|--------------|
| imensions | |
| _ x W x H (mm) | 900x696x1046 |
| Weight (Kg) | 222 |
| echnical Data | |
| Continuous power (VA) | 8000 |
| Overload 0,5s (W) | 16000 |
| Battery pack capacity (Wh) | 8192 |
| Capacity available DOD 80% (Wh) | 6554 |
| Voltage (V) | 230 |
| Frequency (Hz) | 50 |
| nverter | |
| Nominal power (VA) | 8000 |
| Q.ty | 1 |
| System voltage (V) | 24 |
| Max charging current (A) | 200 |
| Batteries | |
| Гуре | LiFeP04 |
|).ty | 4 |
| Nominal Voltage (V) | 12,8 |
| Nominal Capacity (Ah) | 160 |
| Cycle Life DOD 80% | 2500 |
| Distribution panel | |
| nlet Plug | 1x 16A-230V |
| Outlet Sockets | 2x 16A-230V |
| Performances | |
| Running time (h) only LED ON | 250,0 |
| Running time (h) 25% load | 4,0 |
| Running time (h) 50% load | 2,0 |
| Running time (h) 75% load | 1,0 |
| Recharge time (h) | 2,5 |
| Recommended generator size (kVA) | 9 |
| Available optionals | |



